



JOB BANK
REQUEST FOR WORKERS
1750 NEW YORK AVENUE, NW WASHINGTON,
D.C. 20006

Office Use Only
Job ID Number

2024-0053

David Bennett, Chief International Representative
Tom Fischbach, Director of Business and Management Relations
Erin Cummins ecummins@smart-union.org

- 1. Local Union Number:
- 2. Company Name:
- 3. City and State (where job is available):
- 4. (a) Number of positions available:
(Sample Positions: Field, Shop, Architectural Field, Air Balancing, Detailing, Lagging, etc.)
Type of positions available:

- (b) Number of **DRAFTING** positions available:
Benchmark, Auto Cad required? Other?

- (c) Number of **WELDING** positions available:
 - Type of Material: Gauge(s):
 - Certification Needed: AWS Certification #:
 - Process? (tig, mig, stick):
Additional welding requirements:

5. Hourly Wage Rate: Contributions

\$ On Check LPF \$ 401(k)/Annuity: Yes No \$

\$ Total Package NPF \$

H&W \$ 55/30: Yes No

Working Assessment or \$25.00 Fee: Yes No

If yes, \$ or % Hourly Weekly Monthly

6. Hours Per Week:

7. Shift: 1st 2nd 3rd

8. Overtime: Yes No Maybe

9. Are you a SASMI Local Union? Yes No

10. All SMART members traveling to or from a SASMI Local can qualify for up to \$1,800.

Has the contractor stipulated a minimum of 30 days? Yes No

If not, what is the approximate duration of the job?

11. Are you signatory to the SMART Reciprocal Agreement? Yes No
If yes, check all that apply:

A Defined Benefit Pension Funds

C Health & Welfare Funds

B Defined Contribution Pension Funds

D Training Funds

12. Who should workers report to?

13. Where should they report?

Phone Number:

14. When should they report?

15. What is the last day a member(s) can report?

16. Is a security clearance required? Yes No Type?

17. Is a drug test required? Yes No

18. Do any other tests need to be taken/passed? Yes No

If yes, others required.

19. Additional Comments/Information:

This Project is filled and this is being posted for travelers who are eligible for SASMI.

Signature:

Date:

(May be typed)